

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction products

## Glued laminated timber

for use in buildings and bridges, with specification and performance as specified on page 2 in this certificate.

placed on the market under the name or trademark of

### Moelven Limtre AB

Bruksgatan 8  
SE-545 34 Töreboda, Sweden

and produced in the manufacturing plants

**Moelven Limtre AB, Factory hall A**, Bruksgatan 8, SE-545 34 Töreboda, Sweden (glued laminated timber)

**Moelven Limtre AB, Factory hall B**, Bruksgatan 8, SE-545 34 Töreboda, Sweden (block glued glulam and glued laminated timber with large finger joints)

**Moelven Limtre AB, Factory hall C**, Bruksgatan 8, SE-545 34 Töreboda, Sweden (glued laminated timber)

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in annex ZA of the standard

### EN 14080:2013

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

### constancy of performance of the construction product.

This certificate was first issued on 2008-10-22 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Issued by notified body 0402.

The validity of this certificate can be verified at RISE homepage.



Martin Tillander  
Director Product Certification

Certificate 0402-CPR-111503 | issue 6 | 2026-08-24

**RISE Research Institutes of Sweden AB | Certification**

Box 857, SE-50115 Borås, Sweden

+46 10 516 50 00 | [certifiering@ri.se](mailto:certifiering@ri.se) | [www.ri.se](http://www.ri.se)

1283687

This document is the property of RISE and may not be reproduced other than in full, except with the prior written approval by RISE

## Specification and performance

Strength classes GL30h, GL28h, GL24h, GL30c, GL28c, GL24c, GL28hs, GL28cs

Reaction to fire class D-s2, d0

Formaldehyde class E1

Adhesive type I according to EN 301

Spruce (*Picea abies*) NNE Europe (Factory hall A and C)

Pine (*Pinus sylvestris*) NNE Europe (Factory hall A and C)

This certificate includes the manufacture of block glued glulam and glued laminated timber with large finger joints (Factory hall B).