

## Certificate of constancy of performance

**1070 - CPR - 502**

In compliance with regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

### Glued laminated timber

Strength classes GL 30h, GL 30c, GL28hs, GL 28cs, GL 24hs, GL 24cs

Reaction to fire class: D-s2,d0.

Formaldehyde class: E1

Adhesive Type I according to EN 301

Spruce (*Picea abies*) NNE Europe - Durability Class 5

Pine (*Pinus Silvestris*) NNE Europe - Durability Class 5

produced by

**Moelven Limtre AS, Agder**

**NO-4730 Vatnestrøm**

and produced in the manufacturing plant

**Moelven Limtre AS, Agder**

**NO-4730 Vatnestrøm**


This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 14080:2013**

under system 1+ for the performances set out in this certificate are applied and that the construction product fulfils all the prescribed requirements for these performances.

This certificate was first issued on 2009-09-09 (under the CPD) and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performances of the declared essential characteristics, do not change, and the construction product, and the manufacturing conditions in the plant are not modified significantly, unless suspended or withdrawn by the product certification body.

2017-04-05



Hilde Tellesbø  
Managing Director